

Liiska qiimaha ee shirkada hantida maguurtada ah XX AB

(Shaqaaale banaanka ah waxay haystaan yeerid qarash oo dhan 430 SEK, marka laga reebo shirkada nadiifinta taasoo leh qarash dhan 390 SEK. Kaliya hal (1) shaqaysiin/shaqaaale.)

Qurmo	Qayb	Qiimaha shayga	Saacada ha shaqada	Qiimaha saacadii	Qiimaha SEK	Mudada hoos udhaca tirada sanadaha	Fikir kabixin
Xamaamka							
Xamaamka, siinka, dhamaystiran, dhamaan/biloow	pc	4,600	3.25	430	6,000		Tuubiiste
Xamaamka, gudiga, istaaga furan	pc	3,800	2.75	430	5,000		"
Xamaamka dhamaadka gudiga, bir dhalaalaysa	pc	570	1.00	430	1,000		Gudaha
Xamaamka biloowga gudiga, bir dhalaalaysa	pc	1,070	1.00	430	1,500		"
Wasaqda qubayska xamaamka	pc	355	1.50	430	1,000		"
Xarig laha haysta xariga iyo bareeska qubayska	pc	185	0.50	430	400		"
Dayactirka wax yeelada yar ee dhalaalka	pc	170	1.00	430	600		"
Shaasha xamaamada	pc	4,100	2.00	430	5,000		"
Baafka wax lagu dhaqdo							
Baafka wax lagu dhaqdo oon lahayn tuubada qasida	pc	1,030	2.25	430	2,000		Tuubiiste
Wasaqda baafka	pc	460	1.25	430	1,000		"
Bareeska	pc	185	0.50	430	400		"
Gufada caaga ah	pc	170	1.00	430	600		"
Qawsyo	Xirmo	325	2.50	430	1,400		"
Gufo nadiifinta ah	pc		1.00	430	500		"

Tuubada qasida oo musqusha taala							
Tuubada iyo tuubada qasida ee musqusha	pc	1,250	1.75	430	2,000		Tuubiiste
Tuubada qasida ee baafka wax lagu dhaqo, heer laba jibaaran	pc	1,250	1.75	430	2,000		"
Tuubada qasida ee baafka wax lagu dhaqo, heer hal marle ah	pc	1,250	1.75	430	2,000		"
Dareerka ishu qabatayga ah	pc	400	0.75	430	700		Gudaha
Qasabad laliyaha	pc	85	0.50	430	300		"
Musqul							
Musqul, wuu udhamaystiranyahay gufada S	pc	3,030	2.25	430	4,000		Tuubiiste
Godka falaashka, dhamaystiran	pc	2,030	2.25	430	3,000		"
Godka falaashka, daboolka	pc	500	0.75	430	800		Gudaha
Batoonka falaasha/saxanka falaashka	pc	85	0.50	430	300		"
Baaquliga gagaaska musqusha	pc	2,800	2.75	430	4,000		Tuubiiste
Fadhiga musqusha oo caag ah lehna dabool	pc	300	0.75	430	600		Gudaha
Nadiifinta gufada	pc		1.25	430	600		"
Daadka sagxada							
Cadaadiyaha caaga ah	pc	80	0.75	430	400		Tuubiiste
Caadiyaha dhalaalaaya	pc	175	0.75	430	500		"
Cadaadiyaha birta aan adkayn	pc	375	0.75	430	700		"
Nadiifinta daadka sagxada	pc		1.00	430	500		Gudaha
Armaajo							
Armaajada musqusha, dhamaystiran	pc	970	1.00	430	1,400		Alwaax sameeye
Armaajada musqusha, dhamaystiran	pc	2,460	1.25	430	3,000		Yar, oo kasareeya layrarka yaryar iyo godka awooda, alwaax sameeye

Armaajada daawada	pc	470	1.00	430	900		Alwaax sameeye
Armaajo dheer, musqusha qubayska	pc	2,440	2.00	430	3,300		Abaabo la'aan, alwaax sameeye
Albaabka ilaa armaajo dheer, musqusha qubayska	pc	485	0.50	430	700		Gudaha
Khaanadaha ilaa armaajo dheer, musqusha qubayska	Xirmo	285	0.50	430	500		"
Khaanadaha dhalada ah ilaa armaajada musqusha qubayska	pc	185	0.50	430	400		"
Galaaska muraayada ilaa armaajada musqusha	pc	275	0.75	430	600		"
Qalabka darbiga ee kala duwan							
Gacanka xurbiyaha musqusha	pc	175	0.75	430	500		"
Muraayada darbiga	pc	170	1.00	430	600		"
Saymaha galaaska ah ee darbiga, dheraad ah	pc				70		Lakabka sagxada
Saymaha galaaska ah ee darbiga, badalid	pc				90		Lakabka sagxada
Gacanka barkinta	pc	175	0.75	430	500		5 jilaabyo, gudaha
Talaagada iyo qaboojiyaha							
Talaagada iyo qaboojiyaha	pc	6,250	1.75	430	7,000		Gudaha
Qalabka							
Badalida isku aruurshaha	pc	1,930	2.25	430	2,900		Korontiiste
Uumiyaha badalida	pc	1,140	2.00	430	2,000		"
Darmuuska badalida	pc	855	1.50	430	1,500		"
Albaab badalida	pc	3,155	1.50	430	3,800		Gudaha
Gacanka albaabka badalida	pc	525	0.75	430	700		"
Saxiixa albaabka badalida	pc	1,155	1.50	430	1,800		"
Bariha hawo badalashada	pc	185	0.50	430	400		"
Badalida saaxarada faleebaha	pc	175	0.75	430	500		"
Albaabka qolka badalida qaboojiyada	pc	375	0.75	430	700		"

Qolka badalida subaga	pc	385	0.50	430	600		"
Daboolka laambad badalida	pc	185	0.50	430	400		"
Marfashka albaabka badalida	pc	285	0.50	430	500		"
Badlida marfashka, ookiyaalaha/xariga	pc	285	0.50	430	500		"
Badalida xariga salada/sawiraha	pc	585	0.50	430	800		"
Badalida marfashka furuut daboolida	pc	285	0.50	430	500		"
Badalida furuut sawiraha	pc	385	0.50	430	600		"
Nadiifinta	pc		1.00	430	500		"
Kariye							
Kariyaha korontada ah, dhaldhalaalka	pc	4,425	2.50	430	5,500	16	"
Kariyaha korontada ah, dhoobada	pc	5,925	2.50	430	7,000	16	"
Kariyaha korontada ah, isku dar	pc	9,925	2.50	430	11,000	16	"
Digsiga kursiga sare oo leh saxuun kulul	pc	2,070	1.00	430	2,500	16	2 saxuun oo kulul 20l digsig, gudaha
Digsiga wax kariya	pc	2,570	1.00	430	3,000	16	Gudaha
Badlida faaska, dhalaalaaya	pc	1,450	1.50	430	2,100		Korontiiste
Badlida faaska, dhoobada	pc	3,255	1.50	430	3,900		"
Badalida saxanka kulul	pc	670	1.00	430	1,100		"
Ilaalada xayndaabka badalida kariyaha	pc	385	0.50	430	600		Difaaca ilmaha, gudaha
Badalida burada	pc	185	0.50	430	400		Gudaha
Gacanka albaabka badalida	pc	270	1.00	430	700		"
Badalida digsig albaabka daaqada leh	pc	2,155	1.50	430	2,800		"
Badalida albaabka/xurbiyaha ilaa xurbiyaha war kululeeye	pc	1,200	1.50	430	1,900		"
Dhalada badalida albaabka, kaliyaalaha kore	pc	955	1.50	430	1,600		"

Dhalada badalida albaabka, kaliyaalaha gudaha	pc	550	1.50	430	1,200		"
Badalida ookiyaalaha difaaca dhamaan horay	pc	1,355	1.50	430	2,000		"
Layrinta digsi badalida	pc	185	0.50	430	400		"
Badalida digsigu kululaynta, solay	pc	570	1.00	430	1,000		Korontiiste
Badalida digsigu wax lagu dubo	pc	685	0.50	430	900		Gudaha
Badalida xariga marfashka digsigu	pc	285	0.50	430	500		"
Badalida digsigu faleebada	pc	285	0.50	430	500		"
Nadiifinta	pc		1.00	430	500		Shirkada nadiifinta
Qaybta kala saarida							
Qaybta kala saarida	pc	2,140	2.00	430	3,000		Korontiiste
Dib u howlgalinta qaybta karinta	pc	1,640	2.00	430	2,500		"
Qaybta kariyaha (kala saaraha rimoodka ah)	pc	1,440	2.00	430	2,300		"
Badalida baruur soocaha	pc	85	0.50	430	300		Dufan soocaha birta ah, gudaha ah
Kaarboon soocaha	pc	185	0.50	430	400		Qasharka, gudaha
Nadiifinta	pc		1.00	430	500		Shirkada nadiifinta
Quusid							
Tuubada qasida ee jikada wax lagu dhaqo, heer hal marle ah	pc	1,250	1.75	430	2,000		Tuubiiste
Tuubada qasida ee jikada wax lagu dhaqo, heer labomarle ah	pc	1,250	1.75	430	2,000		"
Qasabad neefiye, kaatun	pc	285	0.50	430	500		Gudaha
Alwaax shaqada jikada iyo isle ekaysiinta							
Armaajada gudaha	pc	1,640	2.00	430	2,500		Abaabo la'aan, alwaax sameeye
Armaajada darbiga	pc	1,610	3.00	430	2,900		Abaabo la'aan, alwaax sameeye

Xurbiyaasha jikada ilaa armaajooyinka salka	5 pcs	1,785	0.50	430	2,000		Gudaha
Albaabka armaajada	pc	570	1.00	430	1,000		"
Albaabka armaajada armaajo sare	pc	1,170	1.00	430	1,600		"
Marfashka ilaa armaajada	pc	285	0.50	430	500		"
Shaqada sare, duub	halkii LM		1.50	430	700		Alwaax sameeye
sabuurada sajalka ah	pc	485	0.50	430	700		Gudaha
Xurbiye/armaajo xiraha	pc	80	0.75	430	400		Difaaca ilmaha, gudaha
Gacan xurbiyaha/armaajada	pc	80	0.75	430	400		Gudaha
Badalida qataarka	Xirmo	180	0.75	430	500		"
Xiraha magneetka kushaqeeya	pc	80	0.75	430	400		"
Qalabka darbiga jikada							
Gacanka xurbiyaha jikada	pc	280	0.75	430	600		"
Saymaha galaaska ah ee darbiga, badalid	pc				100		Lakabka sagxada
Dib ubuuxinta saymaha darbiga muraayada ah	m ²				150		Lakabka sagxada
Laambada							
Buuxinta layrka dhalada, buuxinta baalbiga layrka ee wareega usamaysan	pc	260	1.25	430	800		Gudaha
Hagaajiyaha layrka muraayada, isku keenida laanbada	pc	460	1.25	430	1,000		"
Buuxinta layrka muraayada, tuubada layrka	pc	660	1.25	430	1,200		"
Shaqada sare ee layr buuxinta, laanbada iyo wax soo saarka awooda	pc	560	1.25	430	1,100		"
Layraynta xamaamada ee armaajada xamaamada	pc	1,660	1.25	430	2,200		Incl. RCD, korontiiste
Urux kaliya layr buuxinta	pc	185	0.50	430	400		Gudaha

Badalida laanbada	pc				200		"
Badalida baalmada, LED	pc				100		"
Batoonada iyo wax soosaaryada bareeska							
Bareeska laanbada, dhulka lagashay	pc	70	1.00	430	500		Korontiiste
Batoonka, laba jibaaran	pc	170	1.00	430	600		"
Batoonka, kaliyaale	pc	170	1.00	430	600		"
Bareeska darbiga, jibaarane aan dhulka lagalin	pc	170	1.00	430	600		"
Bareeska darbiga, jibaarane dhulka lagaliyay	pc	170	1.00	430	600		"
Bareeska darbiga, jibaarane lagu daahay EMI	pc	370	1.00	430	800		"
Batoonka mashiinka kala gooya ee dhaqmaha	pc	855	1.50	430	1,500		Batoonka wareega, korontiiste
Sanduuqa iskuxirka ee cayiman eemashiinka wax dhaqa	pc	155	1.50	430	800		Korontiiste
Goobta lagu xiray fiilada aluminiumka kasamaysan, badalida	halkii LM		0.25	430	100		"
Sanduuqa korontada ee qaybiya kooxda iskuxirka badalida ee diaz	pc	14	0.2	430	100		"
Qalabka isgaarsiinta							
Jaakada teleefanka	pc	175	0.75	430	500		"
Wax soosaarka bareeska anteenada	pc	170	1.00	430	600		"
Albaabada							
Albaabka gudaha, gaaboon	pc	1,155	1.50	430	1,800		Incl. fiiri guriyaynta ayadoo labuuxin, alwaax sameeye
Albaabka gudaha, la riinjiyeeyay	pc	955	1.50	430	1,600		", "
Albaabka gudaha oo leh muraayad siin ah, gaaboon	pc	2,355	1.50	430	3,000		", "

Albaabka gudaha oo leh muraayad siin ah, lariinjiyeeyay	pc	1,855	1.50	430	2,500		, "
Muraayad badalida albaabka hoose	pc	370	1.00	430	800		Muraayad ah
Albaabka hoolka	pc	3,440	1.75	430	4,200		Caleenta albaabka Incl. fiiri guriyaynta ayadoo labuuxin, alwaax sameeye
Albaabka balakoonka	pc	5,550	1.75	430	6,300		Caleenta albaabka, alwaax sameeye
Albaabka qolka qoyan	pc	2,955	1.50	430	3,600		Caleenta albaabka, alwaax sameeye
Dajinta shaxda albaabka, albaabka hoose	pc	710	3.00	430	2,000		Shaxda albaabka, xakabada, saxaayada, alwaax sameeye
Dajinta shaxda albaabka, albaabka hoolka	pc	1,840	5.25	430	4,100		Shaxda albaabka, xakabada, saxaayada, alwaax sameeye
Qaabaynta albaabka, oak	Dhinac	480	0.75	430	800		Hal dhinac, gdaha
Qaabaynta albaabka, caag/alwaax	Dhinac	1,775	0.75	430	500		Hal dhinac, gdaha
Xakabada, oak, albaabka hoose	pc	255	1.50	430	900		Alwaax sameeye
Xakabada, oak, albaabka hoolka	pc	355	1.50	430	1,000		"
Xakabada, ciidaynta iyo nuurinta	pc		0.75	430	300		Lakabka sagxada
Laad saxanka	pc	1,050	1.75	430	1,800		Fariisin cusub, 1 dhinac, alwaax sameeye
Magaca saxnka	pc	275	0.75	430	600		Gudaha
Faseexad, balaarin	pc		0.75	430	400		"
Rasada waygayska	pc	175	0.75	430	500		"
Gacan, qunful iyo rakibaad, albaabka gudaha	pc	455	1.50	430	1,100		"
Qunfulida guriga, albaabka hoose	pc	270	1.00	430	700		"
Gacan, albaabka hoose	Xirmo	175	0.75	430	500		"
Saxanka furaha, albaabka hoose	Xirmo	75	0.75	430	400		"
Saxanka jabinta, albaabka hoose	pc	75	0.75	430	400		"
Gacan, qunfulida guriga, fuusto jibaaran, albaabka hoolka	pc	3,575	0.75	430	3,900		"

Qalabka albaabka musqusha	pc	275	0.75	430	600		"
Qunfulida gurida, albaabka hoolka/albaabka balbalada	pc	970	1.00	430	1,400		Suunka wax lasuro, gudaha
3 fure kuxir fuustada	pc	770	1.00	430	1,200		Gudaha
Fuusto jibaaran oo leh 3 fure	pc	1,570	1.00	430	2,000		"
Fuusto kujirta systemka	pc	970	1.00	430	1,400		+ 150 SEK/fure, gudaha
Fuusto jibaaran oo systemka kujirta	pc	1,955	1.50	430	2,600		+ 150 SEK/fure, gudaha
Qalabka fuustada	pc	375	0.75	430	700		Batoonka suulka iyo codka ee fuustada, gudaha
Batoonka suulka ee dhabarka saxanka	pc	275	0.75	430	600		Batoonka suulka iyo sameecadaha, gudaha
Gacan, albaabka hoolka	pc	275	0.75	430	600		Gudaha
Saxanka weerarka amaanka	pc	225	0.75	430	550		"
Sakatuuro leh 3 fure	pc	1,170	1.00	430	1,600		Sakatuuro leh 9 fure, gudaha
Qunfulka jiidma ee systemka kujira	pc	785	0.50	430	1,000		Gudaha
Furayaasha kujira systemka	pc	185	0.50	430	400		"
Buugaraynta fuustada	pc	285	0.50	430	500		Furayaal, gudaha
Noocyo furayaal dheeri ah ee sanduuqa boostada, meesha ugu dhaw god furaha, matoor kululeeye, fuustada buugaraynta	pc				200		Gudaha
Qalabka daaqada							
Daaha daaqada, dhamaystiran	pc	175	0.75	430	500		Gudaha
Qawsyada darbiga ee daaha daaqada	Xirmo	75	0.75	430	400		"
Daaqad xire/boobsiiye	pc	175	0.75	430	500		"
Qunful, gacan	pc	175	0.75	430	500		Gacanka amaanka oon fuusto lahayn, gudaha
Qunful	pc	340	2.00	430	1,200		Alwaax sameeye
Qunful, aalada xirida gacanka	pc	75	0.75	430	400		Difaaca ilmaha, gudaha
Daaqad haye	pc	75	0.75	430	400		Daloolka daaqada, gudaha
Qunfulka daaqada	pc	375	0.75	430	700		Galaaska A, gudaha

Marfashka daaqada oo qawsyo kujira	halkii LM		1.50	430	1,000		Alwaaxa/duubid, alwaax sameeye
Marfashka daaqada oo qawsyo kujira, marmar	halkii LM		1.50	430	1,300		Alwaax sameeye
Marfashka daaqada, oo qawsyo kujira	Xirmo	75	0.75	430	400		Fariisin cusub, alwaax sameeye
Naacaw bixiyaha daaqada	pc	60	1.25	430	600		Daaqada oo dhan, gudaha
Meesha daaqada kaneefsato	pc	270	1.00	430	700		Gudaha
Midkale							
Labis	pc	2,030	2.25	430	3,000		Dhamaystiran, alwaax sameeye
Labiska albaabka	pc	1,070	1.00	430	1,500		Gudaha
Sanduuqyada kaydka ee nadiifinta iyo Xariga qaanada	pc	285	0.50	430	500		"
Taageerada dhamaadka tareenka oo leh jid tareen	pc	175	0.75	430	500		"
Marfashka koofida leh, jibaaran	pc	770	1.00	430	1,200		"
Darmuus	pc	285	0.50	430	500		Ileys bixiyaha biyaha kushaqeeya, gudaha
Dab uriye	pc	185	0.50	430	400		Gudaha
Shaqooyinka dabaqaynta							
Vinyl iyo linoleum							
Linoleum, lakooleeyay	m ²				350	20	Aasaaska jiray kufadhiya, lakabka dabaqa
Vinyl dabaqaynta/daboolida, lakooleeyay	m ²				300	18	Aasaaska jiray kufadhiya, lakabka dabaqa
Vinyl dabaqaynta/daboolida, lakab jilicsan	m ²				300	18	Aasaaska jiray kufadhiya, lakabka dabaqa
Siibida 2 lakab oo dabaqaynta ah/daboolid, lakooleeyay	m ²				100		Ayadoo kuxiran lakabaynta dabaqa, lakabka dabaqa
Iskuqasida hal mar	m ²				50		", "
Ciidayn	m ²				30		", "

Vinyl dabaqaynta/daboolida, qol qoyan, badalid	m ²				1,000		Qiyaastii. 5m ² , lakabka dabaqa
Kudaboolida Vinyi darbida qol qoyan	m ² /darbi				400		Excl. siibida, lakabka dabaqa
Kala furfurida iyo dib urakibida ee qalabka nadaafada marka labadalaayo dabaqaynta/daboolada qolka qoyan					900		Tuubiiste
Kala furfurida iyo dib urakibida ee salka armaajada da marka labadalaayo dabaqaynta jikada					1,500		Alwaax sameeye
Dabaqaynta alwaaxa ah iyo duubida							
Dabaqaynta alwaaxa ah, ciidaynta iyo riijiyaynta	m ²				250	15	Riinjiyee 3 jeer,excl, xakabad, lakabka dabaqa
Xakabada, riinjiyayn	pc				100	15	Ayadoo kuxiran riinjiyaynta, lakabka dabaqa
Alwaaxa aadka u adag	m ²				1,500	60	Lakabka sagxada
Alwaax laduubay, badalid	m ²				1,000	45	Incl, hoosgalinta xunbada, lakabka dabaqa
Alwaax laduubay, oo taagan	m ²				600	45	Incl, hoosgalinta xunbada, lakabka dabaqa
Dabaqayn laduubida oo taagan	m ²				400	22	Incl, hoosgalinta xunbada, lakabka dabaqa
Siibid	m ²				100		Lakabka sagxada
Midkale							
Qaybta xasuusta ee dabaqa, dayactir	Sayn				100		Lakabka sagxada
Dhoobo sidii jeex fuusto usamaysan, fariisin cusub	halkii LM				50		Lakabka sagxada
Badalida daaha	halkii LM				100		Lakabka sagxada

Dabaqaynta alwaax dayactirka < 1 m ²	m ²				1,500		Lakabka sagxada
Riinjiyaynta/dabaq shub ah	m ²				100		Riinjiyeeye
Rarida alaabta guriga laguma soodarin							
Riinjiyayn dhamaystiran							
Jikada excl, albaabada armaajada	pc				5,500	13	qiyaastii. 12m ² , riinjiyeeye
Albaabada armaajada jikada	Dhamaa n				5,500	13	Riinjiga firdha, riiniyeeye
Qalabka jikada ayna kujiraan, albaabada armaajada	Dhamaa n				5,000	13	Riinjiga firdha ee albaabada armaajada, riinjiyeeye
Jikada yar	pc				1,500	13	Riinjiyeeye
Musqusha qubayska	pc				3,000	13	Saynta nuska ah leh, riinjiyeeye
Musqul	pc				2,100	13	Riinjiyeeye
Labiska galida	pc				1,500	13	"
Labis	pc				1,000	20	"
Riinjiyayn dhamaytiran iyo darbi sharaxid							
Qolka fadhiga 21-25m ²	pc				7,500	13	"
Qolka fadhiga 14-20m ²	pc				6,500	13	"
Qolka jiifka 10-15m ²	pc				5,500	13	Bilaa labis ah, riinjiyeeye
Qolka jiifka 6-9m ²	pc				4,500	13	Bilaa labis ah, riinjiyeeye
Hoolka	pc				4,500	13	Bilaa labis ah, riinjiyeeye
Riijiyaynta muraayad galinta iyo darbida							
Qolka fadhiga 21-25m ²	pc				5,000	13	Riinjiyeeye
Qolka fadhiga 14-20m ²	pc				4,000	13	"
Qolka jiifka 10-15m ²	pc				3,500	13	"
Qolka jiifka 6-9m ²	pc				2,900	13	"
Jikada	pc				3,000	13	"
Musqusha qubayska	pc				2,200	13	"
Musqul	pc				1,500	13	"

Qolalka kale, dusha lariinjiyeeyay	m ²				100	13	Waxba layskuma qasaayo (cag samayn), riinjiyeeye
Riinjiyaynta muraayada iyo sharaxaada darbiyada	pc						
Qolka fadhiga 21-25m ²	pc				5,000	13	Riinjiyeeye
Qolka fadhiga 14-20m ²	pc				4,400	13	"
Qolka jiifka 10-15m ²	pc				3,900	13	"
Qolka jiifka 6-9m ²	pc				3,000	13	"
Hoolka	pc				3,000	13	"
Jikada	pc				2,900	13	"
Riinjiyaynta muraayada kaliya							
Qolka fadhiga 21-25m ²	pc				2,000	13	"
Qolka jiifka 10-15m ²	pc				1,400	13	"
Qolka jiifka 6-9m ²	pc				1,000	13	"
Sharaxaada darbiga							
Sharaxida meela yar	m ²				90		Riinjiyeeye
Siibida sharaxaada darbiga	m ²				100		"
Qasida (caag samaynta) ciidaynta hal mar	m ²				40		"
Qolka fadhiga 21-25m ²	pc				4,000	13	Siibida sharaxaada darbiga laguma soo darin, riinjiyeeye
Qolka fadhiga 14-20m ²	pc				3500	13	Siibida sharaxaada darbiga laguma soo darin, riinjiyeeye
Qolka jiifka 10-15m ²	pc				3,000	13	Siibida sharaxaada darbiga laguma soo darin, riinjiyeeye
Qolka jiifka 6-9m ²	pc				2,500	13	Siibida sharaxaada darbiga laguma soo darin, riinjiyeeye
Hoolka	pc				2,500	13	Siibida sharaxaada darbiga laguma soo darin, riinjiyeeye
Jikada, sharaxaada darbiga Vinyi	pc				2,200	13	Siibida sharaxaada darbiga laguma soo darin, riinjiyeeye
Siibida sharaxaada darbiga							

Qolka fadhiga 21-25m ²	pc				5,000		Siibida, ciidaynta, qasida, riinjiyeeye,
Qolka fadhiga 14-20m ²	pc				4,600		Siibida, ciidaynta, qasida, riinjiyeeye
Qolka jiifka 10-15m ²	pc				4,000		Siibida, ciidaynta, qasida, riinjiyeeye
Qolka jiifka 6-9m ²	pc				3,300		Siibida, ciidaynta, qasida, riinjiyeeye
Hoolka	pc				2,800		Siibida, ciidaynta, qasida, riinjiyeeye
Jikada	pc				2,000		Siibida, ciidaynta, qasida, riinjiyeeye
Riinjiyayta alwaaxa							
Labiska albaabka	pc				300	13	Riinjiyeeye
Albaabka armaajada	pc				100	13	"
Xurbiye hore	pc				100	13	"
Albaabada armaajada iyo xurbiyaasha hore	Jikada				3,500		"
Qaybaha armaajada	Jikada				1,700		"
Shaxda labiska, istaag furan	pc				300		"
Shaxda albaabka	pc				450	13	2 gees, riinjiyeeye
Caleenta albaabka	pc				450	13	2 gees, riinjiyeeye
Caleenta albabka ee dawaynta iyo dayactirka dusha	pc				1,000		2 gees, riinjiyeeye
Gudaha daaqada ayna kujirto, daaqada gudaha	pc				700	13	Riinjiyeeye
Daaha	halkii LM				50	13	"
Qayb kariinjiyaynta alwaaxa	m ²				150		"
Riinji firdhinta alwaaxa							
Albaabka balaaran ee armaajadar >110 cm	pc				400		Riinjiyeeye

Albaabka caadiga ah ee armaajada <110 cm	pc				200		"
Horta urbiyaha	pc				100		"
Caleenta albaabka, 2 gees	pc				700		"
Albaabada armaajada iyo xurbiyaasha hore	Jikada				4,500		"
Qarashka dheeriga ah ee albaabka armaajada shaqsiga ah	pc				400		Dheeri ah, riinjiyeeye
Qarasdhka aruurinta	Jikada				1,000		Dheeri ah, riinjiyeeye
Qarashka guud ee dhismaha oo dhan	Dhisme				1,500		Dheeri ah, riinjiyeeye
Midkale							
Ileysiyaha rijiyaynta	pc				350		Riinjiyeeye
Hoos kaduubida sare	m ²				50		"
Qarashka nadiifinta							
1 qol iyo adeega jikada, ~20m ²			5.00	390	2,000		Shirkada nadiifinta
1 qol iyo adeega jikada, ~40m ²			7.00	390	2,800		"
2 qol iyo adeega jikada, ~60m ²			9.00	390	3,500		"
3 qol iyo adeega jikada, ~75m ²			12.00	390	4,600		"
4 qol iyo adeega jikada, ~90m ²			16.00	390	6,100		"
5 qol iyo adeega jikada, ~115m ²			18.00	390	7,000		"
Nadiifinta dhismaha							Dheeri ah
Qarashka, isqabsiga qashin qubka ama kaydka							Dheeri ah
Daaqado							
Qaybta daaqada ee sadexda jeed muraayada lasaaray	pc				3,000		Ayna kujirto, rakibida, muraayada